

HawkEye Elite[®] Alignment Systems Greater profit and productivity through innovation



Hunter's latest productivity features!



PATENTED Revolutionary adaptor design!

- ✓ Faster setups!
- ✓ No metal-to-metal contact!
- No knob twisting!



PATENTED

Superior target design!

- Lighter design!
- ✓ Narrower profile!
- Faster readings!








EXCLUSIVE QuickComp[™]!

Compensate all wheels and capture initial measurements in one motion.



NEW Faster Caster!

Saves time, increases speed and reduces battery drain from brake light draw.

PATENTED

High-resolution cameras!

Four high-resolution cameras provide alignment measurements with pinpoint accuracy.



EXCLUSIVE

New console design!

Integrated storage and charging for popular accessories.*



PATENTED OPTIONAL

Patented steering system reset integration!

Reset computerized steering systems on a wide variety of vehicles with one simple tool.

QuickGrip[®] wheel adaptors & three-dimensional tar

Hunter's patented QuickGrip[®] adaptors and threedimensional targets accelerate service with set-up times in seconds instead of minutes...



PATENTED Extremely Fast Installation

- Spring-loaded arms grip the tire
- Thumb switch secures the clamp
- Off-center clamping has no effect on accuracy



PATENTED

Avoid Damage to Expensive Rims

- ✓ Grips tire, not rim
- ✓ No metal-to-metal contact
- Only protective ring contacts rim







PATENTED

Less Weight

- ✓ Weighs only 2.7 kg (6 lbs.)
- Nearly 50% lighter than previous designs



PATENTED

Space-Efficient Profile

- Approx. 228 mm (9 in.) profile
- Easy to work around
- Great for narrow bays







PATENTED

Low Maintenance

- Shop-tough polymer structure withstands drops
- No electronics, cables or calibration
- Only occasional cleaning required



PATENTED

Quick-Change Arms



✓ Interchangeable arms cover up to 940 mm (37 in.) assemblies

✓ One arm fits approximately 90% of applications

PATENTED

Deep-Wheel Extension



- ✓ Deep rims or protruding hubs, no problem
- Standard accessory

PATENTED

Wide-Angle Targets



- ✓ Perform max steer procedure, as needed
- ✓ Standard accessory

Previous setups used valuable shop time...

Conventional electronic-sensor system – 10-minute-plus procedure



Older technology requires long set-up times...

- Chock wheels and lift vehicle
- ✓ Jack up front and rear of vehicle
- Check air pressure and recall specs
- ✓ Mount all 4 sensors, compensate each sensor, and remove pins
- Lower rear and front of vehicle and jounce
- ✓ Steer caster
- Print results
 - 10:05 Total



Camera-sensor systems speed up the process




Early camera technology improved efficiency...

- Chock wheels and lift vehicle
- Check air pressure and recall specs
- Mount targets
- Roll backward, then forward to compensate \checkmark
- Remove pins
- Steer caster
- Print results
 - 4:00 Total



....Today, present your results in just 70 seconds!



Hunter's HawkEye Elite[®] and Premium RX Lift capture all readings and produce measurements in 70 seconds!

Hunter's 70-second procedure


- Chock wheels and raise lift to work height
- Mount targets and set air pressure
- ✓ Roll forward to compensate sensors
- Scan VIN to recall specs and perform faster caster steer
- ✓ Vehicle results print automatically

1:10 Total




ACTIVITY TRACKER

72



Fast printouts in 70 seconds!

Use detailed printouts featuring your company's logo to sell more work.







PATENTED

RX Scissor Lift console

- Raising the vehicle triggers the sensors to look for wheel targets
- Control PowerSlide[®] and Inflation Station settings on the lift console
- Store CodeLink tool near the vehicle to save steps



AlignLights turn on automatically at alignment height



WinAlign[®] console

- Centralized control of entire system
- Communicate directly with lift to set tire pressure and automatically operate turnplates and slipplates
- Guide the technician through the alignment process




Measurements are taken automatically after the fourth target is installed



PATENTED

PowerSlide[®] system

- Slipplates and turnplates automatically lock and unlock at appropriate times
- No more struggles with lock pins



Auto-locking turnplates and slipplates save trips around the vehicle



PATENTED

Inflation Station

- Automatically inflate all four tires simultaneously
- ✓ Record starting and final pressure
- ✓ Hose recoils to keep work area clear



Software tracks before and after tire pressures for the customer's printout


Hunter's Safety System Alignment: Over 100 million vehicles require Safety System Alignment... and growing!

Electronic Stability Control

- Since 2009, Hunter has supported electronic steering system resets as required by the (OEM)
- Several systems use electronic steering system output to determine the vehicle's travel direction

KI KZ KJ K4

2





One tool replaces multiple OEM scan tools



Simplified reset instructions replace confusing OEM procedures



The only integrated, complete alignment procedure




CodeLink's patented integration "links" the vehicle OBD-II system to the aligner

to align safety system related sensors to the vehicle's alignment geometry.

CodeLink[®] advantages:


- Integrated with Hunter WinAlign[®] systems
- Simple instructions shown on aligner screen
- Only one tool required
- Wireless communication with aligner
- Resets safety systems and other related sensors
- Alignment printouts document reset



Finishes the job right

- No other reset tool matches CodeLink's patented integration with the alignment procedure
- Guarantees precision with exact steering system sensor thresholds
- ✓ Reduces errors that result in customer comebacks

Printed documentation confirms that steering system reset was completed properly



When it comes to award-winning software, WinAlign[®] is unmatched!

The importance of software...



Over 30 years of experience and the largest R&D department in the undercar industry bring you the most profitable and productive software on the market.





Ordinary systems Ordinary camera simply present systems simply speed alignment readings up these readings

WinAlign maximizes d profit and productivity in your alignment bay

- The most extensive vehicle information database.
- Vehicle-specific procedures guide your technicians with step-by-step instructions.
- Patented and awardwinning power tools complete the work accurately the first time, every time.
- WinAlign maximizes profit and productivity in your alignment bay.

New Faster Caster procedure!

- Eliminates wait times during caster measurement steering sequence
- Saves time and increases speed
- Reduces need for brake pedal depressor installation by 86%
- Reduces battery drain from brake light power draw



No more waiting for left, right, and center readings during caster measurement steering sequence

NEW



Steer left, right and back to center




ExpressAlign[®]

Perform every alignment with a streamlined procedure. ExpressAlign analyzes each job and presents the optimal action sequence with the minimum steps required.



Tools and Kits Database

Save trips back and forth to the tool box. Hunter presents all of the tools and aftermarket correction kits needed for each alignment.



Control Arm Movement Monitor[®]


Cut adjustment times in half for front-shim, dualcam or dual-slot vehicles. Step-by-step graphics let you get it right on the first try.



WinToe®

Ensure a straight steering wheel every time without repeated adjustments or using a steering wheel holder.


😰 A timesaver on nearly every alignment



Virtual View®

See your alignment job in 3-D using real-time 3-D graphics. Used by experts and novices alike.

🗾 Every alignment can be shown in 3-D




Wheel-Off Adjustment

Speed the alignment process by making adjustments with the wheel removed.*

🖸 Available when you need it


Take your alignment business to the next level!

Perform body shop and specialty alignments...




Suspension Body Dimension Audit

Quickly screen vehicles to determine alignability and collision repair needs.




Symmetry Angle Measurements

Instantly access symmetry angles and setback for your body shop customers.



Live Ride Height Adjustment Measure and adjust ride height in real-time.



Shim-Select[®] II

Eliminate confusing shim charts and tables. Shim Select II quickly calculates and displays the template you need for proper shim installation.



Automatic Bushing Calculator®

Calculate the proper bushing size and position adjustment without wasting time with a zero bushing.



Enhance your point-of-sale performance

Provide front-shop personnel with quick, convenient access to vehicle-specific undercar information to explain and sell service.

Help your customers make informed decisions!



WinAlign[®] printouts help sell work

Explain needed parts and repairs and show completed work to customers using detailed, color-coded printouts.

Clear and detailed printouts help you communicate and build rapport with your customers and sell more alignments



WinAlign[®] Video Library

400+ videos and animations cover all aspects of wheel alignment today.

- Educate your customers
- Find answers to unusual problems
- Extend your service and profit opportunities
- Strengthen technician competency



The latest specs available online

Download, access and communicate alignment service information through the Internet.



Point & Click Inspection Photos

5,000+ vehicle-specific photos and illustrations to assist your shop

- ✓ Show your customers their hidden repair needs
- Guide your technicians to the proper inspection points
- Extend your service and profit opportunities

Use your aligner to perform Quick Checks!





20-2813-1 CodeLink*

Retrieves emission codes. Wirelessly transfers important vehicle information to console.



20-2782-1 Tire Tread Depth* Quick and easy tire wear check. Conditions transmitted to console automatically.



20-2781-3 Battery Health* Tests battery to OEM specs. Sends results to console wirelessly in 10 seconds.



Quick Tread[®] Creates a 3D model of the tire and can be easily added to existing Quick Check[®] inspection systems.

Choose the right alignment console for your shop!

WinAlign WA600 Premium consoles

Industry-leading hardware	

Award-winning WinAlign° software	PATENTED	
Vehicle Info Database (30+ yrs)	PATENTED	
Real-time specs delivered by web	PATENTED	6
Steering system reset (integrated)	PATENTED	tool
Quick Check		tivity
Live Ride Height adjustment	PATENTED	oquc
Fully Integrated Alignment	PATENTED	ng pr
Vehicle inspection with photos	PATENTED	Award-winning productivity tools
Tools & Kits	PATENTED	ard-v
Equipment video help/assistance		Awa
ShopResults (via ShopResults.NET°)	PATENTED	
Training and productivity aids	PATENTED	

Standard
Standard (2 years free updates)
WebSpecs° (2 years standard)
Yes (with standard CodeLink°)
Standard
Optional
Yes (FIA-equipped lift required)
Optional
Videos and Photos
Optional
2 years standard
4,000+ photos, 1,600+ illustrations Optional 400+ videos & animations



Large console



Compact console



Wall-mount console

Choose the right sensor package for your shop!



Fixed-column configurations fit most service bay applications.



Motorized and manual movable-camera configurations provide a full range of vertical travel for additional lift height.



Cabinet-mounted configuration is mobile to service multiple alignment bays and provides a full range of travel for additional lift height.



Wall- and ceiling-mount configurations are perfect when space is at a premium.



Floor-mounted overhead configurations accommodate unique applications.



HawkEye Elite[®] sensors (HE421) come equipped with QuickGrip[®] adaptors and three-dimensional targets.

HawkEye Elite[®] alignment sensor and adaptor specifications



	PATENTED	No metal-to-metal contact with wheel	Standard
		Weight of assembly	2.7 kg
		Profile of assembly	228 mm
		Installation time per wheel	5 seconds
suo		Rolling compensation style	Forward
Specifications		Camera resolution	2,608 x 1,952 (pixels per camera) 20,000,000 (pixels total)
Spec		Maximum track width	2032 mm
•		Maximum wheelbase	5334 mm
		Distance to wall*	1676 - 2717 mm
		Suggested distance*	2514 mm
		Short-bay distance (see site info)*	1676 mm
		S.A.I. and included angle	~
S		Setback	✓
Secondary Measurements		Maximum steering angle**	Lock-To-Lock
Iren	PATENTED	Live ride height***	Optional
easu		Wheelbase difference	✓
Ň		Track width difference	✓
dar		Tread width difference	✓
con		Lateral offset	✓
Se		Rear setback	✓
		Axle offset	✓
s	PATENTED	Suspension & Body Dimension Audit (SBDA)	✓
y ment:	PATENTED	Body angle	↓ ↓
Body Measurements	PATENTED	Body wheel offset & setback	↓ ↓
Mea	PATENTED	Body roll**	✓ · · · · · · · · · · · · · · · · · · ·
60		-	
Adjustments	PATENTED	Way Up Way Out WinToe**	✓
Adji	PATENTED	Wheel-Off Adjustment	Optional

Increase revenue with Hunter merchandising!





Sell more alignments with clear and informative printouts





STANDARD

Customized column cap

Make your alignment bay stand out. Hunter's lighted sensor column cap can be customized with your logo or shop name. (available for most sensor configurations)



Be sure to check out other Hunter literature for more quality products from Hunter Engineering.



www.hunter.com

11250 Hunter Drive, Bridgeton, MO 63044, USA Tel: +1-314-731-3020, Fax: +1-314-731-0132 Email: international@hunter.com

0320VHE